

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in SER [Southeast Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	17	77	a
Black, not Hispanic	*	*	a	*	*	a	5	23	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	17	100	a	5	100	a	22	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	*
25-34	*	*	*	*	5	23
35-44	*	*	*	*	6	27
45-54	5	29	0	0	5	23
55-64	*	*	0	0	*	*
>=65	*	*	0	0	*	*
Total	17	100	5	100	22	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	9	53	a	a	9	41
Injection drug use (IDU)	0	0	0	0	0	0
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	*	*	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	*	*	*	*
Total	17	100	5	100	22	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	*	*	*	*	0	0	0	0	0	0	0	0	9	41
Injection drug use (IDU)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Total	17	100	5	100	0	0	0	0	0	0	0	0	22	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	17	100	5	100	22	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	17	100	5	100	22	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SER [Southeast Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	8	89	a	0	0	a	8	89	a
Black, not Hispanic	*	11	a	0	0	a	*	11	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	0	a	0	0	a	*	0	a
Total	9	100	a	0	0	a	9	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	13	*	17	288
Females	*	*	6	*	5	60
Total	17	13	19	16	22	348

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	12	11	18	15	17	291
Black, not Hispanic	*	*	*	*	5	48
Hispanic	*	0	0	0	0	9
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	*	*	0	0
Total	17	13	19	16	22	348

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	11	10	13	13	13	243
White, not Hispanic: Female	*	*	5	*	*	48
Black, not Hispanic: Male	*	*	0	*	*	36
Black, not Hispanic: Female	*	*	*	0	*	12
Hispanic: Male	*	0	0	0	0	9
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	*	0	0	0
Total	17	13	19	16	22	348

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	*	*	*	0	*	50
25-34	*	*	*	*	5	139
35-44	5	*	10	7	6	107
45-54	*	*	*	*	5	33
55-64	*	*	*	*	*	14
>=65	0	0	0	0	*	2
Total	17	13	19	16	22	348

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	7	6	10	9	199
Injection drug use (IDU)	0	*	*	0	0	39
Male-to-male sex and IDU	*	0	*	0	0	15
Heterosexual contact	*	*	*	0	*	49
Mother with/at risk for HIV	*	0	0	0	0	3
Other/unknown	0	*	7	6	*	43
Total	17	13	19	16	22	348

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	5	*	5	*	85
Females	*	0	*	0	*	27
Total	8	5	9	5	10	112

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	5	9	5	8	92
Black, not Hispanic	*	0	0	0	*	17
Hispanic	*	0	0	0	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	*	0
Total	8	5	9	5	10	112

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	5	*	5	5	70
White, not Hispanic: Female	*	0	*	0	*	22
Black, not Hispanic: Male	*	0	0	0	*	12
Black, not Hispanic: Female	*	0	0	0	*	5
Hispanic: Male	*	0	0	0	0	3
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	8	5	9	5	10	112

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	*	*	*	0	*	26
25-34	*	*	*	*	*	41
35-44	*	*	5	*	*	33
45-54	0	0	0	*	*	8
55-64	*	0	0	*	0	3
>=65	0	0	0	0	0	0
Total	8	5	9	5	10	112

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	5	*	*	*	*	54
Injection drug use (IDU)	0	*	*	0	0	18
Male-to-male sex and IDU	0	0	0	0	0	3
Heterosexual contact	*	*	*	0	*	18
Mother with/at risk for HIV	*	0	0	0	0	1
Other/unknown	0	*	*	*	7	18
Total	8	5	9	5	10	112

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in SER [Southeast Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	10	*	*	*	203
Females	*	0	*	*	*	33
Total	12	10	13	11	21	236

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	8	10	10	18	199
Black, not Hispanic	*	*	*	*	*	31
Hispanic	0	0	0	0	0	6
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*	0
Total	12	10	13	11	21	236

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	9	8	8	8	16	173
White, not Hispanic: Female	*	0	*	*	*	26
Black, not Hispanic: Male	*	*	*	*	*	24
Black, not Hispanic: Female	0	0	*	0	0	7
Hispanic: Male	0	0	0	0	0	6
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	*	0	0	0	0
Total	12	10	13	11	21	236

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SER [Southeast Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	*	0	*	12
25-34	*	*	*	*	*	97
35-44	*	*	6	5	9	81
45-54	*	*	*	*	*	31
55-64	0	*	*	*	*	11
>=65	0	0	0	0	*	2
Total	12	10	13	11	21	236

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in SER [Southeast Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	9	8	5	*	12	145
Injection drug use (IDU)	0	*	0	0	*	21
Male-to-male sex and IDU	*	0	*	*	0	12
Heterosexual contact	*	0	*	0	*	31
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	0	*	*	*	5	25
Total	12	10	13	11	21	236

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	156	165	170	182	190
Females	32	33	37	39	44
Total	188	198	207	221	234

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	156	164	173	186	195
Black, not Hispanic	26	28	28	29	33
Hispanic	6	6	6	6	6
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
Total	188	198	207	221	234

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	131	139	145	156	161
White, not Hispanic: Female	25	25	28	30	34
Black, not Hispanic: Male	19	20	19	20	23
Black, not Hispanic: Female	7	8	9	9	10
Hispanic: Male	6	6	6	6	6
Hispanic: Female	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0
Total	188	198	207	221	234

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	0	0	0	0	0
15-24	*	5	6	6	9
25-34	24	26	28	31	36
35-44	96	100	103	108	111
45-54	53	52	54	57	59
55-64	11	13	14	17	16
>=65	*	*	*	*	*
Total	188	198	207	221	234

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	112	118	119	128	133
Injection drug use (IDU)	25	26	26	26	24
Male-to-male sex and IDU	8	8	8	8	8
Heterosexual contact	27	30	32	32	34
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
Total	188	198	207	221	234

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	9	98
Females	*	*	*	0	0	16
Total	*	*	10	*	9	114

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	*	*	96
Black, not Hispanic	*	0	*	0	*	15
Hispanic	0	0	0	0	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	*	*	10	*	9	114

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	7	*	*	82
White, not Hispanic: Female	*	*	*	0	0	14
Black, not Hispanic: Male	*	0	*	0	*	13
Black, not Hispanic: Female	0	0	0	0	0	2
Hispanic: Male	0	0	0	0	0	3
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	*	*	10	*	9	114

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	4
25-34	0	0	*	0	*	43
35-44	*	*	6	*	*	39
45-54	0	*	*	0	*	18
55-64	*	0	*	0	*	8
>=65	0	0	0	0	0	1
Total	*	*	10	*	9	114

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and exposure category

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	5	*	*	66
Injection drug use (IDU)	*	*	*	0	*	15
Male-to-male sex and IDU	0	0	*	0	0	7
Heterosexual contact	0	0	*	0	0	15
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	0	*	*	*	*	10
Total	*	*	10	*	9	114

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.